



# ez joint 產品規格

## 直接頭 | SOCKET




Order No.	規格 (su x su)	長度 (mm)		
		L	L1	公差
KSK 13	13x13	106	51	±3
KSK 20	20x20	106	51	±3
KSK 25	25x25	106	51	±3
KSK 30	30x30	151	71	±3
KSK 40	40x40	151	71	±3
KSK 50	50x50	151	71	±3
KSK 60	60x60	151	71	±3

## 90度彎頭 | 90° ELBOW



Order No.	規格 (su x su)	長度 (mm)		
		L	L1	公差
K9E 13	13x13	75	51	±3
K9E 20	20x20	83	51	±3
K9E 25	25x25	90	51	±3
K9E 30	30x30	120	71	±3
K9E 40	40x40	130	71	±3
K9E 50	50x50	138	71	±3
K9E 60	60x60	153	71	±3

## 45度彎頭 | 45° ELBOW





Order No.	規格 (su x su)	長度 (mm)		
		L	L1	公差
K4E 13	13x13	63	51	±3
K4E 20	20x20	67	51	±3
K4E 25	25x25	70	51	±3
K4E 30	30x30	95	71	±3
K4E 40	40x40	100	71	±3
K4E 50	50x50	102	71	±3
K4E 60	60x60	109	71	±3

# ez joint

## 任何人都可以不用工具即可完成施工


### 三通 | TEE



Order No.	規格 (su x su)	長度 (mm)				公差
		LA	LB	L1	L2	
KTE 1313	13x13	134	65	51	51	±3
KTE 2013	20x13	139	68	51	51	±3
KTE 2020	20x20	139	69	51	51	±3
KTE 2513	25x13	148	72	51	51	±3
KTE 2520	25x20	148	73	51	51	±3
KTE 2525	25x25	148	72	51	51	±3
KTE 3013	30x13	205	75	71	51	±3
KTE 3020	30x20	205	75	71	51	±3
KTE 3025	30x25	205	75	71	51	±3
KTE 3030	30x30	205	97	71	71	±3
KTE 4013	40x13	207	80	71	51	±3
KTE 4020	40x20	207	80	71	51	±3
KTE 4025	40x25	207	80	71	51	±3
KTE 4030	40x30	207	102	71	71	±3

Order No.	規格 (su x su)	長度 (mm)				公差
		LA	LB	L1	L2	
KTE 4040	40x40	207	102	71	71	±3
KTE 5013	50x13	193	83	71	51	±3
KTE 5020	50x20	193	83	71	51	±3
KTE 5025	50x25	193	83	71	51	±3
KTE 5030	50x30	211	105	71	71	±3
KTE 5040	50x40	211	105	71	71	±3
KTE 5050	50x50	211	105	71	71	±3
KTE 6013	60x13	212	89	71	51	±3
KTE 6020	60x20	212	89	71	51	±3
KTE 6025	60x25	212	89	71	51	±3
KTE 6030	60x30	212	111	71	71	±3
KTE 6040	60x40	246	111	71	71	±3
KTE 6050	60x50	246	111	71	71	±3
KTE 6060	60x60	246	112	71	71	±3

### 大小頭 | REDUCER




Order No.	規格 (su x su)	長度 (mm)			公差
		L	L1	L2	
KRD 2013	20x13	119	51	51	±3
KRD 2513	25x13	128	51	51	±3
KRD 2520	25x20	120	51	51	±3
KRD 3013	30x13	166	71	51	±3
KRD 3020	30x20	158	71	51	±3
KRD 3025	30x25	140	71	51	±3
KRD 4013	40x13	171	71	51	±3
KRD 4020	40x20	163	71	51	±3
KRD 4025	40x25	164	71	51	±3
KRD 4030	40x30	167	71	71	±3
KRD 5013	50x13	179	71	51	±3

Order No.	規格 (su x su)	長度 (mm)			公差
		L	L1	L2	
KRD 5020	50x20	171	71	51	±3
KRD 5025	50x25	178	71	51	±3
KRD 5030	50x30	193	71	71	±3
KRD 5040	50x40	163	71	71	±3
KRD 6013	60x13	196	71	51	±3
KRD 6020	60x20	188	71	51	±3
KRD 6025	60x25	195	71	51	±3
KRD 6030	60x30	210	71	71	±3
KRD 6040	60x40	180	71	71	±3
KRD 6050	60x50	172	71	71	±3

# ez joint 產品規格


## 水栓直接頭・内牙直接頭 | WATER TAP SOCKET



Order No.	規格 (su x inch)	長度 (mm)			
		L	L1	L2	公差
KWS 1315A	13x1/2"	78	51	23	±3
KWS 2015A	20x1/2"	79	51	23	±3
KWS 2020A	20x3/4"	81	51	25	±3
KWS 2515A	25x1/2"	78	51	23	±3
KWS 2520A	25x3/4"	80	51	25	±3
KWS 2525A	25x1"	82	51	27	±3

※BSPT(管用平形螺紋): Rp(PS)


## 90度水栓彎頭・内牙彎頭 | WATER TAP ELBOW



Order No.	規格 (su x inch)	長度 (mm)				
		LA	LB	L1	L2	公差
KWE 1315A	13x1/2"	75	45	51	23	±3
KWE 2015A	20x1/2"	83	53	51	23	±3
KWE 2020A	20x3/4"	83	55	51	25	±3
KWE 2515A	25x1/2"	90	60	51	23	±3
KWE 2520A	25x3/4"	90	62	51	25	±3
KWE 2525A	25x1"	90	64	51	27	±3

※BSPT(管用平形螺紋): Rp(PS)

## 内牙三通 | WATER TAP TEE




Order No.	規格 (su x inch)	長度 (mm)				
		LA	LB	L1	L2	公差
KWT 1315A	13x1/2"	134	33	51	23	±3
KWT 2015A	20x1/2"	139	37	51	23	±3
KWT 2020A	20x3/4"	139	39	51	25	±3
KWT 2515A	25x1/2"	148	40	51	23	±3
KWT 2520A	25x3/4"	148	42	51	25	±3
KWT 2525A	25x1"	148	44	51	27	±3
KWT 3015A	30x1/2"	205	43	71	23	±3
KWT 4015A	40x1/2"	207	48	71	23	±3
KWT 5015A	50x1/2"	193	51	71	23	±3
KWT 6015A	60x1/2"	212	57	71	23	±3

※BSPT(管用平形螺紋): Rp(PS)

# ez joint

## 任何人都可以不用工具即可完成施工


### 內牙接頭 | ADAPTER SOCKET-FEMALE



Order No.	規格 (su x inch)	長度 (mm)			
		L	L1	L2	公差
KFS 3032A	30x1-1/4"	111	71	34	±3
KFS 4040A	40x1-1/2"	111	71	34	±3
KFS 5050A	50x2"	117	71	40	±3
KFS 6065A	60x2-1/2"	118	71	40	±3

※BSPT(管用錐形螺紋\_內): Rc(PT)


### 內牙90度彎頭 | ADAPTER ELBOW-FEMALE



Order No.	規格 (su x inch)	長度 (mm)				
		LA	LB	L1	L2	公差
KFE 3032A	30x1-1/4"	120	78	71	34	±3
KFE 4040A	40x1-1/2"	130	89	71	34	±3
KFE 5050A	50x2"	138	102	71	40	±3
KFE 6065A	60x2-1/2"	153	117	71	40	±3

※BSPT(管用錐形螺紋\_內): Rc(PT)

### 90度水栓彎頭·內牙彎頭-短 | WATER TAP ELBOW-SHORT




Order No.	規格 (su x inch)	長度 (mm)				
		LA	LB	L1	L2	公差
KSWE 1315A	13x1/2"	74	28	51	12	±3
KSWE 2015A	20x1/2"	77	31	51	12	±3
KSWE 2020A	20x3/4"	81	33	51	12	±3
KSWE 2515A	25x1/2"	78	34	51	12	±3
KSWE 2520A	25x3/4"	82	36	51	12	±3
KSWE 2525A	25x1"	84	38	51	12	±3

※BSPT(管用平形螺紋): Rp(PS)

# ez joint 產品規格


## 外牙接頭 | ADAPTER SOCKET-MALE



Order No.	規格 (su x inch)	長度 (mm)			
		L	L1	L2	公差
KMS 1315A	13x1/2"	84	51	16	±3
KMS 2020A	20x3/4"	86	51	17	±3
KMS 2525A	25x1"	88	51	20	±3
KMS 3032A	30x1-1/4"	116	71	22	±3
KMS 4040A	40x1-1/2"	116	71	22	±3
KMS 5050A	50x2"	120	71	26	±3
KMS 6065A	60x2-1/2"	126	71	28	±3

※BSPT(管用錐形螺紋\_外): R(PT)


## 外牙90度彎頭 | ADAPTER ELBOW-MALE



Order No.	規格 (su x inch)	長度 (mm)				
		LA	LB	L1	L2	公差
KME 1315A	13x1/2"	75	51	51	16	±3
KME 2020A	20x3/4"	83	61	51	17	±3
KME 2525A	25x1"	90	70	51	20	±3
KME 3032A	30x1-1/4"	120	83	71	22	±3
KME 4040A	40x1-1/2"	130	94	71	22	±3
KME 5050A	50x2"	138	105	71	26	±3
KME 6065A	60x2-1/2"	153	125	71	28	±3

※BSPT(管用錐形螺紋\_外): R(PT)

## 外牙三通 | ADAPTER TEE-MALE




Order No.	規格 (su x inch)	長度 (mm)				
		LA	LB	L1	L2	公差
KMT 1315A	13x1/2"	134	39	51	16	±3
KMT 2015A	20x1/2"	139	43	51	16	±3
KMT 2020A	20x3/4"	139	44	51	17	±3
KMT 2515A	25x1/2"	148	46	51	16	±3
KMT 2520A	25x3/4"	148	48	51	17	±3
KMT 2525A	25x1"	148	50	51	20	±3
KMT 3015A	30x1/2"	205	49	71	16	±3
KMT 4015A	40x1/2"	207	54	71	16	±3
KMT 5015A	50x1/2"	193	57	71	16	±3
KMT 6015A	60x1/2"	212	63	71	16	±3

※BSPT(管用錐形螺紋\_外): R(PT)

# ez joint


## 任何人都可以不用工具即可完成施工

### 管帽 | CAP




Order No.	規格 (su x su)	長度 (mm)		
		L	L1	公差
K2C 13	13	63	51	±3
K2C 20	20	67	51	±3
K2C 25	25	69	51	±3
K2C 30	30	94	71	±3
K2C 40	40	99	71	±3
K2C 50	50	101	71	±3
K2C 60	60	108	71	±3

### 管帽 | CAP



Order No.	規格 (su x su)	長度 (mm)		
		L	L1	公差
K1C 13	13	43	42	±3
K1C 20	20	45	43	±3
K1C 25	25	45	43	±3


### 套管接頭 | BARE SOCKET



Order No.	規格 (su x su)	長度 (mm)	
		L	公差
JBS0013	13x13	124	±3
JBS0020	20x20	124	±3
JBS0025	25x25	131	±3
JBS0030	30x30	131	±3
JBS0040	40x40	158	±3
JBS0050	50x50	169	±3
JBS0060	60x60	180	±3



# ez joint 特殊項目

## 內牙法蘭接頭 | FLANGE




Order No.	規格 (su x A)	長度 (mm)			
		L	L1	L2	公差
JFL 1315A	13x15	39	35	Ø95	±3
JFL 2020A	20x20	39	37	Ø100	±3
JFL 2525A	25x25	42	39	Ø125	±3
JFL 3032A	30x32	45	43	Ø135	±3
JFL 4040A	40x40	50	48	Ø140	±3
JFL 5050A	50x50	53	50	Ø155	±3
JFL 6065A	60x65	55	52	Ø175	±3

## 球閥 | BALL VALVE



Order No.	規格 (su x su)	長度 (mm)			
		L	L1	L2	公差
JBV0013	13x13	95	35	24	±3
JBV0020	20x20	104	37	30	±3
JBV0025	25x25	114	39	36	±3
JBV0030	30x30	128	43	43	±3
JBV0040	40x40	154	48	59	±3
JBV0050	50x50	173	50	73	±3

## K-螺絲頭 | K-UNION



Order No.	規格 (su x inch)	長度 (mm)		
		L	L1	公差
JKU1315	13x1/2"	113	76	±3
JKU2020	20x3/4"	126	89	±3
JKU2525	25x1"	140	94	±3
JKU3032	30x1-1/4"	153	104	±3
JKU4040	40x1-1/2"	158	105	±3
JKU5050	50x2"	167	110	±6

※BSPT(管用錐形螺紋\_外): R(PT)